



Glass Luster

Material Safety Data Sheet

GLASS (except etched) • PORCELAIN • TILE

METAL • STAINLESS STEEL

HEAVY GLASS - PAINT

IDENTITY: TEKON Glass Luster

Date Prepared: September 18, 2007

SECTION I

Manufacturer's Name: TEKON Address: 15471 Redhill Ave, Suite A
Tustin CA 92780
Emergency Telephone Number: (800) 255-3924
Telephone Number for Information: (714) 259-0807

SECTION II – Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common name (s)):

<u>OSHA PEL</u>	<u>ACGIH TLV</u>	<u>% (optional)</u>
Amorphous Silica	7631-86-9	N.A.
Aqua Ammonia	1336-21-6	N.A.
Isopropyl Alcohol	67630	N.A.

NO OTHER HAZARDOUS MATERIAL PRESENT

SECTION III – Physical/Chemical Characteristics

Boiling point	212° F	Evaporation Rate: (Ether = 1)	7
Vapor Pressure:	N.A.	VOC:	200 g/l approx.
Vapor Density (AIR = 1)	N.A.	Solubility in water:	100% soluble
Specific Gravity (H20 = 1):	>1		
Melting Point:	N.A.		
P/H	8 to 9		

Appearance and odor: Viscous white liquid with lemon ammonia.

NOTE TO PHYSICIANS: No data.

SECTION 5 – Fire and Explosion Hazard Information

FLASH POINT: > 250 deg F Flammable limits: Lower: No data Upper: No Data
FIRE/EXPLOSION HAZARD: None known.
COMBUSTION PRODUCTS: Carbon dioxide and carbon monoxide.
EXTINGUISHING MEDIA: Use all standard fire fighting media.
FIRE FIGHTING INSTRUCTIONS: Wear a self-contained breathing apparatus with a full-face piece operated in the positive pressure demand mode with appropriate turnout gear and chemical resistant personal protective equipment.
SPECIAL FIRE & EXPOSITION HAZARDS: None known.

SECTION 6 – Spill, Leak and Disposal Procedures

SMALL SPILLS: Absorb liquid with absorbent material.
LARGE SPILLS: Stop spill at source, dike area of spill to prevent spreading, pump liquid into salvage tank. Prevent run-off to sewers, streams or other bodies of water. If run-off occurs, notify proper authorities as required. Remaining liquid may be taken up with absorbent material and shoveled into containers.
DISPOSAL: Dispose of in accordance with all applicable local, state and federal regulations.

SECTION 7 – Exposure Controls and Personal Protective Equipment

EYE AND FACIAL: Chemical splash goggles.
SKIN: None normally required.
RESPIRATORY: Not normally required.
VENTILATION: Not normally required.
OTHER: Eyewash and safety shower should be readily available.

SECTION 8 – Handling and Storage

STORAGE: Store in closed containers in a cool, dry, well-ventilated area. Protect containers from physical damage.
HANDLING: Use in a well-ventilated area and wear protective equipment as required. Wash thoroughly after handling
SPECIAL PRECAUTIONS: Empty containers retain product residues and may be hazardous. Observe all hazard precautions. Keep empty containers closed and do not use to mix or store any other materials.

SECTION 9 – Reactivity Information

STABILITY: Stable
INCOMPATIBILITY: None known.
HAZARDOUS POLYMERIZATION: Does not polymerize.

SECTION 10 – Physical Data

APPEARANCE: Blue liquid
pH: 7.0
BOILING POINT: Approximately IBP 210 deg F
SOLUBILITY: Soluble
VAPOR PRESSURE: No data
PERCENT VOLATILE: 0
VOC 0.0 ppg
SPECIFIC GRAVITY: <1
VAPOR DENSITY: No data
EVAPORATION RATE
(Butyl Acetate = 1): <1

NOTICE

All information appearing herein is based upon data obtained from recognized technical sources. While the information is believed to be accurate, Tekon US Inc. makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Tekon US Inc.'s control and therefore users are responsible for, and assume all risks of their use, handling, and disposal of the product, or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein, and does not relate to its use in combination with any other material or in any other process.